

## Strawberry FLAVIA\* FLAMINIA\*



## FLAVIA\*

Plant: erect habit, medium vigor. External fruits to the foliage, easy to collect. High resistance to oidium, leaf and root diseases in general. Suitable for tired soils even without fumigation. Good adaptability to stubble crop practice, biological crop or with low residues cultivation. Very high productivity, higher than the average of many cultivated varieties.

Fruits: conical, very regular, medium size. Nice bright red color, uniform over the entire surface of the fruit even at low temperatures. Exceptional firmness with excellent shelf life even at high temperatures. Sweet, very good taste with low acidity. Intense perception of sweetness.

High percentage of top quality fruits.

Harvesting time: very early.

Brix: 8,8° – 11,5°



## **FLAMINIA\***

Plant: erectness, medium vigor. External fruits to the foliage, easy to collect.

High resistance to oidium, leaf and root diseases in general. Suitable for tired soils even without fumigation. Good adaptability to stubble crop practice, biological crop or with low residues cultivation. Very high productivity, higher than the average of many cultivated varieties.

Fruits: elongated conical shape, very smooth, with minimal presence of misshapen.

Medium-large size, regular throughout the harvest period. Very bright red color, uniform over the entire surface of the fruit even at low temperatures. Exceptional consistency with excellent shelf life even at high temperatures. Very good taste, very sweet; good balance between sweetness and acidity.

High extra quality percentage of fruits.

High fruit resistance to ripening on plant. Possibility to harverst every 5-7 days.

Harvesting time: early.

Brix:  $8,7^{\circ} - 10,6^{\circ}$ 





\* Patented variety, propagation prohibited